

Breezy 600

EIB60, Effective September, 2006

ORDERING INFORMATION PHONE: (800) 333-4000, FAX: (800) 300-7502, WEBSITE: www.sunrisemedical.com

ACCOUNT INFORMATION

Account No: _____

Drop Ship/Ship To: _____

Date: _____

Name: _____

P.O. #: _____

Address: _____

Buyer: _____

City: _____ State: _____

Marked For: _____

Zip Code: _____ Phone Number: _____

BREEZY 600

(Note: Hangers not included in base price)

K0004 Breezy 600 \$945.00

Frame Color

Forest Green Std
 Silver Texture NC
 Blue NC
 Black NC

SEATING

Seat to Floor Height Range

Standard (15" - 20 1/2", see matrix) Std
 Ultra Hemi (13" - 18", see matrix) NC

Seat Width

14" Std
 16" Std
 18" Std
 E2201 20" \$140.00

Seat Depth

16" Std
 18" NC

Seat Height

13" \$95.00
 14" \$95.00
 14 1/2" \$95.00
 15" \$95.00
 15 1/2" \$95.00
 16" \$95.00
 16 1/2" \$95.00
 17" NC
 17.5" NC
 18" NC
 18.5" NC
 19" ¹² NC
 19.5" ¹² NC
 20" ¹² NC
 20.5" ¹² NC

Seat Sling

Padded Seat Sling \$15.00
 Nonpadded Seat Sling ² Std
 Omit Seat Sling NC

Cushion

E2601 2" \$95.00
 Omit Cushion Std

BACKREST (16"-19", 8° w/Push Handles)

Adjustable w/tall backcanes ¹ \$15.00
 Omit Back Upholstery -\$10.00

ARMRESTS

Flip Back Armrests

Fixed Height, Desk Length Std
 Fixed Height, Full Length NC
 E0973 Height-Adjustable, Desk Length \$235.00
 E0973 Height-Adjustable, Full Length \$235.00

FOOTREST

Hanger Type

60° Swing-Away Hemi ^{1,3} \$140.00
 60° Swing-Away ⁴ \$140.00
 70° Swing-Away ^{4,5} \$140.00
 K0053 Articulating Legrests ^{4,6,7,8,9} \$415.00
 K0195 Elevating Legrests ^{4,10} \$215.00

Footrest Extension Tubes

Short (13"-15 1/2") ^{4,11} NC
 Medium (15 1/2" - 18") ^{4,6} Std
 Long (18" - 20 1/2") ^{4,6,12} \$35.00
 Omit Ext. Tubes & Footplates NC

Footplates

Composite w/Heel Loops ¹³ Std
 Aluminum ¹⁴ NC
 E0951, K0040 Adult Angle-Adjustable w/Heel Loops ¹ \$125.00

CASTERS

5" Polyurethane NC
 8" Polyurethane Std
 8" Pneumatic ⁶ \$85.00

Footnotes:

- ¹ Not available when using Standard frame.
- ² For use with cushion.
- ³ Only available with standard hemi extension tube.
- ⁴ Not available with Ultra Hemi frame.
- ⁵ Not available with 8" pneumatic casters.
- ⁶ Not available with 20" rear wheels when using Standard frame.
- ⁷ Only available with 8" casters.
- ⁸ Not available with 14" seat width.
- ⁹ Pull-to-lock wheel locks required.
- ¹⁰ Not available with composite footplates.
- ¹¹ Not available with articulating legrest.
- ¹² Must use 1-1/2" stem.
- ¹³ Not available with ELR.
- ¹⁴ Only available with ELR

PROPER USE OF HCPCS CODES DOES NOT ENSURE COVERAGE OR PAYMENT. FOR COVERAGE INFORMATION, VERIFY THE APPROPRIATE PAYER'S COVERAGE POLICY.

Caster Options		
<input type="checkbox"/>	1-1/2" Fork Stem (Double Bearing)	\$35.00
<input type="checkbox"/>	Double Bearing Caster Plate	\$35.00
AXLES AND WHEELS		
Axle		
<input type="checkbox"/>	Threaded Offset Axles	Std
<input type="checkbox"/>	Quick-Release Rear Axles	\$95.00
<input type="checkbox"/>	E0958 One-Arm Drive ^{7,8}	\$680.00
<input type="checkbox"/>	Left Mount	
<input type="checkbox"/>	Right Mount	
Anti-Tip Tubes		
<input type="checkbox"/>	E0971 Rear Anti-Tip Tubes	\$130.00
Rear Wheel Size		
<input type="checkbox"/>	20"	NC
<input type="checkbox"/>	22"	NC
<input type="checkbox"/>	24"	Std
Rear Wheel Tires		
<input type="checkbox"/>	Low-profile Polyurethane ^{1,5}	Std
<input type="checkbox"/>	Full-profile Polyurethane ^{2,5}	75.00
<input type="checkbox"/>	Pneumatic ⁵	165.00
<input type="checkbox"/>	K0064 Pneumatic w/Airless Insert ^{5,6}	215.00
Handrims		
<input type="checkbox"/>	Composite ⁵	Std
<input type="checkbox"/>	Aluminum - painted ⁵	NC
<input type="checkbox"/>	Aluminum - anodized ⁵	\$30.00
<input type="checkbox"/>	Plastic Coated ⁵	\$85.00
<input type="checkbox"/>	Omit Handrims ⁵	-\$15.00
Projections ^{3,5}		
<input type="checkbox"/>	Vertical - 8	\$230.00
<input type="checkbox"/>	Vertical - 12	\$230.00
<input type="checkbox"/>	Oblique - 8	\$230.00
<input type="checkbox"/>	Oblique - 12	\$230.00
Wheel Locks		
<input type="checkbox"/>	High-Push Breezy-Style	Std
<input type="checkbox"/>	High-Pull Breezy-Style	NC
<input type="checkbox"/>	High-Push Quickie-Style	\$40.00
<input type="checkbox"/>	High-Pull Quickie-Style	\$40.00
Wheel Lock Options		
<input type="checkbox"/>	E0961 6" Ext. Handles with Bungee	\$60.00
<input type="checkbox"/>	E0974 Grade Aids ^{4,9}	\$90.00
ACCESSORIES		
Backpack & Seat Pouch		
<input type="checkbox"/>	Utility Back Pack (Black/Charcoal)	\$55.00
<input type="checkbox"/>	Seat Pouch (Black/Charcoal)	\$45.00
Pelvic Positioning Belt		
<input type="checkbox"/>	E0978 Aircraft Buckle (2" wide)	\$85.00
<input type="checkbox"/>	E0978 1.5" Auto Buckle	\$50.00
Touch-up Paint		
<input type="checkbox"/>	Color:	\$25.00
Wheelchair Tray Table - Tuffak		
<input type="checkbox"/>	E0950 Medium (15"-17")	\$200.00
<input type="checkbox"/>	E0950 Large (18"-20")	\$200.00

Miscellaneous		
<input type="checkbox"/>	Caddy	\$45.00
<input type="checkbox"/>	K0102 Crutch Holder	\$65.00
<input type="checkbox"/>	Tool Kit	\$25.00

See Sunrise Seating Solutions on reverse side.

TOTAL CHAIR PRICE: \$ _____

FOOTNOTES:

- ¹ Not available with Projection Handrims.
- ² "No Charge" option when used with Projection Handrims.
- ³ Not available with Low-profile polyurethane tires. Full-profile Polyurethane tires available as "No Charge" option. Requires 24" rear wheels.
- ⁴ Not available with Polyurethane tires.
- ⁵ Not available with 24" Mag SLT
- ⁶ Must order Pneumatic tire with Flat Free Insert
- ⁷ Not available with Ultra Hemi frame.
- ⁸ Not available with Quick-Release Rear Axles.
- ⁹ Grade Aids require Quickie style wheel locks

Sunrise Medical
 7477 E. Dry Creek Pkwy
 Longmont, CO 80503
 (800) 333-4000



The chart below specifies which casters and rear wheels are necessary to achieve the front seat heights listed below for **Standard** frames.

Seat Height	Rear Wheels				
	20" Low Poly	20" Full Poly/Pneu 22" Low Poly	22" Full Poly/Pneu	24" Low Poly	24" Full Poly/Pneu
15.0"	5" lp	N/A	N/A	N/A	N/A
16.0"	5" lp	5" lp	N/A	N/A	N/A
16.5"	5" lp	5" lp	N/A	N/A	N/A
17.0"	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	N/A
17.5"	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp
18.0"	N/A	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem
18.5"	N/A	8" lp *20" full poly not recommended	8" lp	8" lp	8" lp
19.0"	N/A	N/A	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu
19.5"	N/A	N/A	N/A	N/A	8" pneu & 1-1/2" stem
20.0"	N/A	N/A	N/A	N/A	8" lp & 1-1/2" stem
20.5"	N/A	N/A	N/A	N/A	8" pneu & 1-1/2" stem

The chart below specifies which casters and rear wheels are necessary to achieve the front seat heights listed below for **Ultra Hemi** frames.

Seat Height	Rear Wheels				
	20" Low Poly	20" Full Poly/Pneu 22" Low Poly	22" Full Poly/Pneu	24" Low Poly	24" Full Poly/Pneu
13.0"	5" lp	N/A	N/A	N/A	N/A
14.0"	5" lp	5" lp	N/A	N/A	N/A
14.5"	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	N/A
15.0"	8" lp	8" lp	8" lp	8" lp	N/A
15.5"	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem
16.0"	8" lp or 8" pneu	8" lp or 8" pneu	8" lp or 8" pneu	8" lp or 8" pneu	8" lp or 8" pneu
16.5"	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem
17.0"	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu
17.5"	N/A	1-1/2" stem & 8" lp or 8" pneu	1-1/2" stem & 8" lp or 8" pneu	1-1/2" stem & 8" lp or 8" pneu	1-1/2" stem & 8" lp or 8" pneu
18.0"	N/A	N/A	8" pneu & 1-1/2" stem	8" pneu & 1-1/2" stem	8" pneu & 1-1/2" stem

JAY SEATING & POSITIONING PRODUCTS

CUSHIONS

JAY BASIC

A soft mildly contoured foam cushion designed to provide stability and comfort for the person with a flexible posture at low risk for skin breakdown.

J2 CUSHION

The J2 cushion is a lightweight, low maintenance cushion designed for the person at high risk for skin breakdown. Custom cuts and modifications are available to meet specific client needs.

J2 RECLINE CUSHION

The J2 Recline Cushion is developed from the J2 cushion platform and includes heat seals in the rear of the cushion to help reduce bottoming out for individuals that recline or are in fixed pelvic tilt positions.

TRIAD

A seat cushion with three distinct but integrated layers of foam encased with a moisture resistant coating and a laminated neoprene cover is designed for the person needing moderate positioning who is at low to moderate risk of skin breakdown.

COMBI/SOFT COMBI

A seat cushion with two distinct but integrated layers of foam encased in a moisture resistant coating is designed for the person needing mild to moderate postural support who is a low risk for skin breakdown. Designed to give years of performance, it has a five-year warranty.

J2 DEEP CONTOUR CUSHION

The J2 Deep Contour Cushion is an Ultra-light weight, pre-contoured foam base with a 3D Jay Flow Fluid Tri-Pad. It is designed for the person at extremely high level of risk for skin breakdown who also seeks unparalleled comfort and stability.

JAY CARE CUSHION

The Jay Care cushion is a simple, moisture resistant one piece seating system designed primarily for the person at moderate risk for skin breakdown who sits with a Fixed Posterior Pelvic tilt to be used on sling upholstery.

JAY DUO

An integrated contoured solid seat pan with a soft foam and fluid seat cushion designed to maintain the seat-to-floor height as low as possible, to protect the skin of the moderate risk person with mild positioning needs as well as to provide optimal comfort.

BACKS

J2 BACK

The J2 Back is the first off the shelf back product designed to position the pelvis and the trunk independently. It is lightweight and angle adjustable, allowing for easy installation and removal to fold the chair.

J2 DEEP CONTOUR BACK

An off the shelf back support designed to provide posterior lateral pelvic stabilization along with enhanced trunk stability. It is lightweight and angle adjustable allowing for easy installation, fitting and removal to fold the wheelchair.

JAY CARE BACK

The Jay Care Back is an easily adjustable pre-contoured back support. Offering 39 degrees of angle adjustability as well as a pre-contoured soft-segmented foam insert it is designed to accommodate the kyphotic thoracic spine.