



Price List and Order Form

Effective October 9, 2006 Revised January 29, 2008

For ease of ordering, contact Customer Service Toll Free at:

800-333-6900 Fax: 800-678-4682

To order Literature: 800-828-6282

www.invacare.com

Company Name _____ Account # _____

Phone _____ P.O. # _____ Date _____

Ship to Name & Address _____

Special Note

HCPCS codes are not intended to be, nor should be considered billing or legal advice. Providers are responsible for determining the appropriate billing codes when submitting claims to the Medicare Program and should consult an attorney or other advisor to discuss specific situations in further detail.

CHAIR TYPE

- TDXSP TDX SP with MK6i™ (K0849/K0851)..... 5,600.00 ¹
- TDXSPBASE TDX SP Base Only with MK6i..... 5,200.00 ¹
- TDXSPSEAT TDX Seat Only 740.00

Group 3 – K0849

Basic Package

- TDX SP with MK6i and Van Seat
- 300 lb Weight Capacity
- 1431-3 14" X 3" Tires w/Foam Filled Inserts\$250.00
- 4 Pole MotorsStandard
- Flip Back Fixed Height ArmStandard
- MK690 90 Amp ControllerStandard
- SPJPLUS SPJ™+ Single Drive JoystickStandard
- 70NHD 70° Swingaway FootrestsStandard
- 8 Amp Off Board Battery ChargerStandard
- 1515 Push Button Style Seat Positioning StrapStandard

Group 3 – K0851

Basic Package

- TDX SP with MK6i and Van Seat
- 400 lb Weight Capacity..... \$1175.00
- 1431-3 14" X 3" Tires w/Foam Filled Inserts \$250.00
- Heavy Duty 4 Pole Motors Standard
- Flip Back Fixed Height Arm Standard
- MK690 90 Amp Controller Standard
- SPJPLUS SPJ™+ Single Drive Joystick Standard
- 70NHD 70° Swingaway Footrests Standard
- 8 Amp Off Board Battery Charger Standard
- 1515 Push Button Style Seat Positioning Strap Standard

TRANSPORT TIE-DOWN

- TRBKTS Wheelchair Transport Brackets..... 250.00

*** TRANSPORT TIE-DOWN**

TRBKTS includes four factory-installed wheelchair transport brackets. TRBKTS has not been crash-tested in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport.

As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.

*Transport Tie-Down option is not retrofittable to existing models and is not field serviceable.

USER WEIGHT LIMITS

- U300 User Weight <300 lbs (K0849)..... **Standard** ²
- U400 Heavy Duty upgrade to <400 lbs (K0851)..... 1,175.00 ³

FOOTNOTES

¹ TDXSP comes standard with 300 lb user weight capacity, 5.8 MPH top speed, 4-Pole motor package, MK6i SPJ+ Joystick, MK690 controller, and Quiet Stability Lock. Base only comes standard with MK690ACC Controller and SPJ+ with PSS joystick.

² Package includes 4-pole motors and 5.8 MPH top speed with <300 lb user weight limit.

³ Package includes 4-pole motors and 5 MPH top speed with <400 lb user weight limit.

WHEEL OPTION (PAIR)

- 1430-3 14" x 3" Pneumatic Tires..... **Standard**
- 1431-3 14" x 3" w/Foam Filled Inserts..... 250.00

FORK OPTION

- FKPKG One-Sided Fork Package 500.00

FRAME FINISH

CONTEMPORARY

- 24P Wet BlackNo Charge
- 60P Silver MetallicNo Charge
- 71P Silver VeinNo Charge
- 105P Midnight BlueNo Charge
- 115P Black PrismNo Charge

TOO HOT

- 30P Sunny YellowNo Charge
- 61P Electric RedNo Charge
- 119P Bubblegum PinkNo Charge
- 120P Grape MadnessNo Charge

WAY COOL

- 62P Electric BlueNo Charge
- 104P Electric TealNo Charge
- 121P Lolly Pop BlueNo Charge
- 122P Cosmic BlueNo Charge
- 125P Emerald GreenNo Charge
- 127P Grasshopper GreenNo Charge

Invacare® TDX® SP Van Seat Power Wheelchair

Accessories and Options

SEAT

VAN SEAT (Standard Dimensions: 18"W x 16"D)

- VW16 16" Wide Van Seat No Charge
 - VD16 16" Depth No Charge
 - VD17 17" Depth No Charge
 - VD18 18" Depth No Charge
- VW18 18" Wide Van Seat **Standard**
 - VD16 16" Depth **Standard**
 - VD17 17" Depth No Charge
 - VD18 18" Depth No Charge
- VW20 20" Wide Van Seat 329.00
 - VD18 18" Depth No Charge
 - VD19 19" Depth No Charge
 - VD20 20" Depth 529.00
- VW22 22" Wide Van Seat 329.00
 - VD18 18" Depth No Charge
 - VD19 19" Depth No Charge
 - VD20 20" Depth 529.00

VAN UPHOLSTERY

- GC Grey Cloth No Charge
- GV Grey Vinyl No Charge
- TV Tan Vinyl No Charge

SEAT STYLE

- SEMIR Semi Recline **Standard**
- SEMIRB Semi Recline with Solid Base No Charge ⁴

ARM TYPE ⁵

- VAH Full Length, Adjustable Height (E0973) 230.00
- VFH Full Length, Fixed Height **Standard**
- VAHD Desk Length, Adjustable Height (E0973) 230.00
- VFHD Desk Length, Fixed Height No Charge

SEAT POSITIONING STRAPS

- 1311BK Airline Buckle Seat Pos. Strap 50.00
- 1515 Push Button Style Seat Pos. Strap **Standard**

CHEST POSITIONING STRAPS

- 7311BK Airline Buckle Chest Pos. Strap (E0960) 100.00
- 9515 Push Button Style Chest Pos. Strap (E0960) 100.00
- 7321BK Hook & Loop Chest Pos. Strap (E0960) 100.00

ELECTRONICS

MK6i CONTROLLERS

- MK690 90 Amp Controller **Standard**

STANDARD DRIVER CONTROL

- SPJPLUS SPJ+ Single Drive Joystick **Standard**

EXPANDABLE CONTROLLER SYSTEMS

- MPJM6U MPJ+ Multiple Drive Joystick (E2377) 750.00
- PSFM6 Personal J/S, Inductive on Front (E2399) 1,130.00 ⁶
- PSRM6 Personal J/S, Inductive on Rear (E2399) 1,130.00 ⁶
 - PBOD Push Button On/Off w/PB Drive Select No Charge ⁷
 - PBSS Push Button On/Off w/Speed Select No Charge ⁷
 - OR On/Off Mounted Right No Charge ⁷
 - OL On/Off Mounted Left No Charge ⁷

JOYSTICK MOUNTING HARDWARE

- QLM6 Quad Link Retract. Joystick Mnt MPJ+ Van (E1028) 230.00
- QL Quad Link Retract. Joystick Mnt SPJ+ Van (E1028) 230.00
- ARM250 Stealth Height Adjustable Joystick Mount (E1028) 210.00
- LEFT Left Handed Mounted Joystick No Charge

ELECTRONIC ACCESSORIES

- 1813M6 MK6i Programmer w/Pro Memory Card 475.00
- 1813SD Pro Memory Card (USB Ready) 90.00
- 1560 "T" Handle Flexible Joystick Ext. (E2323) 77.00
- 1561 Straight Handle Flexible Joystick Ext. (2323) 77.00
- A24VPS 24V MK6i Auxiliary Power Source 200.00
- MPY Monoport Cable or MPJ+ or Display 15.00

ASL OPTIONAL ACCESSORIES

- EGSBLK Egg Switch – Black 65.00

FOOTNOTES

⁴ Semi recline with solid base is only available in grey vinyl.
⁵ Arms are flip up and adjustable width

FOOTNOTES

⁶ TOD-SS: Toggle On/Off-Drive Select, Speed Potentiometer Standard.
⁷ PSRM6 Only.
⁸ Drive Select through mode switch, or mode switch and Joystick Command.

Invacare® TDX® SP Van Seat Power Wheelchair

Accessories and Options

MISCELLANEOUS

MISCELLANEOUS ACCESSORIES

- 1303 Wheel Locks 45.00
- VAN02 Oxygen Holder (Van Seat Only) (E2208)..... 150.00

BATTERY TRAY TYPE ⁹

- 22TRY 22NF Style Tray **Standard**
- 24TRY 24 Group Style Tray No Charge

BATTERIES

- 22NFBATTERY 22NF Battery (On Chair) (E2361).....300.00
- 24 BATTERY 24 Gel Battery (On Chair) (E2363).....410.00

SEATING AND POSITIONING

FOR YOUR SEATING NEEDS PLEASE REFER TO THE FOLLOWING:

**REHAB SEATING & POSITIONING PRODUCTS
SEE PRICE LIST FORM #07-027**

FRONT RIGGINGS

FRONT RIGGING ¹⁰

CENTER MOUNT

- CTMT-F Center Mount Adj. Knee Angle..... 220.00 ¹¹
- CTMT-FJ Junior Center Mount Adj. Knee Angle 220.00 ¹²

CENTER PIVOT STYLE (PAIR)

- 70NHD 70° Swingaway Footrests **Standard** ¹³
- 70STAPER 70° Tapered Footrests No Charge ¹⁴
- AT5544 Manual ELR (E0990) 255.00 ¹⁵

PIN STYLE HEMI (PAIR)

- PHW93 70° Swingaway Footrests No Charge
- PHAL4A Manual Articulating/ELR (K0053) 225.00

FOOTBOARD

- 90FB Footboard 150.00

FOOTPLATE OPTIONS (PAIR)

- 1651 Composite Footplates No Charge ¹⁶
- 1350 Extra Large Aluminum Footplates No Charge ¹⁷
- AT5543 Adjustable Angle Flip-Up Footplates..... 165.00 ¹⁷
- CTMTFB Footboard for Center Mounts No Charge ¹⁸

FOOTREST/LEGREST ACCESSORIES

- 1337 Calf Strap (K0038) 27.00
- 1600BK Heel Loops w/Ankle Straps (Pair) (E0951) 56.00
- IMPACTG Impact Guards..... 51.00
- LPT2 Longer Pivot Slide Tube For 1350 83.00
- ALPT Longer Pivot And Slide Tube..... 84.00
- ALPT4 Longer Pivot And Slide Tube 4" 84.00

FOOTNOTES

- ¹⁰ All front rigging options include a standard footplate with the exception of the 70NHD.
- ¹¹ Allows 60 to 90 degree static knee angle positioning with a drop back lever for easier transferring. extension range 12.5" – 15".
- ¹² Allows 60 to 90 degree static knee angle positioning with a drop back lever for easier transferring. Extension range 9.25" – 12".
- ¹³ With seat widths of 21" to 24" and depth of 16", must pick 1350 footplates.
- ¹⁴ Standard with impact guards. Not available with widths 19" to 24" and 16" deep seat.
- ¹⁵ Not available with 16" wide by 16" to 18" deep or 17" wide by 16" deep and low seat-to-floor.
- ¹⁶ Not available with AT5544 and 17" wide by 16" deep and low seat-to-floor.
- ¹⁷ Not available with AT5544 and 16" wide by 16" – 18" deep or 17" wide by 16" deep and low seat-to-floor.
- ¹⁸ One piece footboard for Center Mount (CTMT-F) riggings.

FOOTNOTES

- ⁹ 22TRY Base Width 24"; 24TRY Base Width 25.5".

NOTE: All specifications and dimensions are approximate.
For the most current pricing information go to www.invacare.com.

Invacare® TDX® SP Van Seat Power Wheelchair

Accessories and Options

TDX SP Specifications	
Seat Width Range: (in 1" increments)	ADULT (Adjust) 16" – 22"
Seat Depth Range:	16" – 20"
Back Height Range:	12" – 24"
Back Angle Range	85° - 105° in 5° increments
Seat-to-Floor (approximate)	Standard: 21"
Overall Height:	
Semi-Recline:	38" (w/o headrest)
Semi-Recline:	45" (w/ headrest)
Overall Length:	35.25" w/o Front Rigging 43" w/90° Front Rigging
Weight	
4 Pole Motor	
	w/o 22NF Batteries 179 lbs
	w/ Two 22NF Batteries 277 lbs
Drive Axle:	Non-Adjustable
Drive Wheels/Tires:	(Foam Filled or Pneumatic)
	Standard: 14" x 3"

BATTERIES (NOT INCLUDED)

22NF batteries with terminal configuration (positive on the left and negative on the right) **MUST** be used. 22NF batteries that have the reverse terminal configuration **MUST** not be used. Terminals **MUST** have a cross hole for proper battery connection.

GP24 batteries with terminal configuration (negative on the left and positive on the right) **MUST** be used. GP24 batteries that have the reverse terminal configuration **MUST** not be used. Terminals **MUST** have a cross hole for proper battery connection. See Owner's Manual, part number 1114809. These recommendations **MUST** be followed otherwise injury and damage may occur.

Weight Limit 300 Pounds (Standard)

Invacare recommends all wheelchairs be fitted and programmed to the consumer under the guidance of a healthcare professional, knowledgeable of the particular limitation of the product.

NOTE:

All weight limits are inclusive of add-on equipment and seating systems. All specifications and dimensions are approximate.

Invacare Corporation www.invacare.com



Yes, you can.®

USA
One Invacare Way
Elyria, OH USA
44035-4190
800-333-6900

All rights reserved. Trademarks are identified by the symbols TM and ®. All trademarks are owned by or licensed to Invacare Corporation unless otherwise noted. Products designated by ASL are manufactured by Adaptive Switch Labs, Inc. Specifications and prices are subject to change without notification.
©2007 Invacare Corporation

Form No. 06-037 Rev 012908