### Invacare® TDX® SP Rehab Seat Power Wheelchair

### **Price List and Order Form**

Effective October 9, 2006 Revised January 29, 2008

For ease of ordering, contact customer Service Toll Free at:

800-333-6900 Fax: 800-678-4682

To order Literature: 800-828-6282 www.invacare.com

INVAC4RE	)
Yes, you can.	,

Company Name		_Account #		
Phone	_P.O. #	_Date		
Ship to Name & Address				

#### Special Note

HCPCS codes are not intended to be, nor should be considered billing or legal advice. Providers are responsible for determining the appropriate billing codes when submitting claims to the Medicare Program and should consult an attorney or other advisor to discuss specific situations in further detail.

#### **CHAIR TYPE**

☐ TDXSP	TDX SP with MK6i <sup>TM</sup> (K0848/K0850)	. 5,600.00	1
□ TDXSPBASE	TDX SP Base Only with MK6i	. 5,200.00	1
□ TDXSPSEAT	TDX Seat Only	740.00	

### **Group 3 - K0848**

### **Basic Package**

- TDX SP with MK6i and Adjustable Rehab Seat
- 300 lb Weight Capacity
- 1431-3 14" X 3" Tires w/Foam Filled Inserts ......\$250.00 4 Pole Motors .....Standard Flip Back Fixed Height Arm .....Standard MK690 90 Amp Controller ......Standard SPJPLUS SPJTM+ Single Drive Joystick ......Standard
- 70NHD 70° Swingaway Footrests ......Standard 8 Amp Off Board Battery Charger ......Standard
- 1515 Push Button Style Seat Positioning Strap ......Standard

### TRANSPORT TIE-DOWN

☐ TRRO	Transport Ready Option	300.00
□ TRBKTS	Wheelchair Transport Brackets	250.00
	· · · · · · · · · · · · · · · · · · ·	

### \*TRANSPORT TIE-DOWN

TRRO includes four factory-installed transport brackets and a wheelchair anchored pelvic belt. TRRO has been crash-tested in accordance with ANSI/RESNA WC Vol1. Section 19 Frontal Impact Test requirements for wheelchairs with a 168 lb crash dummy, which corresponds to a person with a weight of 114 lb to 209 lb.

TRBKTS includes four factory-installed wheelchair transport brackets. TRBKTS has not been crash-tested in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport.

As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.

\*Transport Tie-Down option is not retrofittable to existing models and is not field serviceable.

#### **FOOTNOTE**

<sup>1</sup> TDSXP comes standard with: 300 lb user weight capacity, 5.8 MPH top speed, 4-pole motor package & MK6i SPJ+ Joystick, MK690 Controller, Quiet Stability Lock. Base only comes standard with MK690ACC Controller and SPJ+ with PSS Joystick. Additional iovstick options available.

### **Group 3 - K0850**

### Basic Package

	TDX SP with MK6i and Adjustable Rehab Seat	
	400 lb Weight Capacity	\$1,175.00
$\triangleright$	1431-3 14" X 3" Tires w/Foam Filled Inserts	\$250.00
	Heavy Duty 4 Pole Motors	Standard
	Flip Back Fixed Height Arm	Standard
$\triangleright$	MK690 90 Amp Controller	Standard
$\triangleright$	SPJPLUS SPJTM+ Single Drive Joystick	Standard
	70NHD 70° Swingaway Footrests	Standard
$\triangleright$	8 Amp Off Board Battery Charger	Standard
$\triangleright$	1515 Push Button Style Seat Positioning Strap	Standard

### **Optional Features for TRRO** Features Required for TRRO TDXSP Adjustable Angle Flip Up 70° Swingaway, 70° Tapered, Footplates, Flip-Up or Manual Center Mount Front Composite Footplates or

TRRO FEATURES FOR TDX SP

Riggings	Aluminum Footplates-Deluxe
<ul> <li>Any Arm Style</li> </ul>	<ul> <li>Wheel Locks</li> </ul>
<ul> <li>Adjustable Rehab Seat with</li> </ul>	<ul> <li>Calf Strap</li> </ul>
Adjustable Seat Tilt & Back	<ul> <li>Heel Loops w/Ankle Straps</li> </ul>
Angle	<ul> <li>Impact Guards</li> </ul>
<ul> <li>Sectional or Straight Rear</li> </ul>	<ul> <li>One Sided Fork Package</li> </ul>
Uprights or No Push Handles	<ul> <li>SPJ+, MPJ+ Joystick</li> </ul>
<ul> <li>14" x 3" Tires with Foam Filled</li> </ul>	<ul> <li>All PSR+ / PSF+ Joysticks</li> </ul>
Inserts	<ul> <li>Proportional Attendant</li> </ul>
<ul> <li>90° or 95° Back Angle</li> </ul>	Control
<ul> <li>18" – 24" ASBA Back Height</li> </ul>	<ul> <li>"T" Handle Flexible Joystick</li> </ul>
<ul> <li>Any Seat Width</li> </ul>	Ext.
<ul> <li>Any Seat Depth</li> </ul>	<ul> <li>Left Hand Mounted Joystick</li> </ul>
<ul> <li>300 lb or 400 lb user weight</li> </ul>	<ul> <li>Straight Handle Flexible</li> </ul>
limit	Joystick Ext.
<ul> <li>Low Seat-to-Floor Height</li> </ul>	<ul> <li>Easy Remote Programmer</li> </ul>
<ul> <li>22NF Batteries</li> </ul>	<ul> <li>Reinforced Back Upholstery</li> </ul>
<ul> <li>Any Color Frame Finish</li> </ul>	

## Invacare® TDX® SP Rehab Seat Power Wheelchair Accessories and Options

USER WEIG	SHT LIMITS	ADJASBA	SEAT WIDTH 5	
□ U300	User Weight <300 lb (K0848)Standar	d ¹ □ W12	Seat Width 12"	110.00 6
□ U400	Heavy Duty Upgrade to <400 lb (K0850) 1,175.0	00 <sup>2</sup>	Seat Width 13"	110.00 6
	, , , , , , , , , , , , , , , , , , , ,	<b>□</b> W14	Seat Width 14"	
SEAT-TO-F	LOOR HEIGHT	□ W15	Seat Width 15"	No Change 6
□ LOW	Seat-to-Floor Low Standar		Seat Width 16"	
☐ MED	Seat-to-Floor Medium		Seat Width 17"	
☐ TALL	Seat-to-Floor TallNo Charg		Seat Width 18"	
		<b>□</b> W19	Seat Width 19"	
WHEEL OP	TION (PAIR)	□ W20	Seat Width 20"	No Charge
■ 1430-3	14" x 3" Pneumatic Tires	d □ W21	Seat Width 21"	329.00
<b>1</b> 431-3	14" x 3" w/Foam Filled Inserts	00 □ W22	Seat Width 22"	
		□ W23	Seat Width 23"	329.00 7
FORK OPTI		<b>□</b> W24	Seat Width 24"	469.00 -7
☐ FKPKG	One-Sided Fork Package 500.0			
ED / 1 / E EX		ADJUSTAI	BLE SEAT DEPTH RANGE	
FRAME FIN	ISH	□ 1218D	12" to 18" Seat Depth Range	No Charge 4
CONTEMPORA	ARY	□ 1619D	16" to 19" Seat Depth Range	
□ 24P	Wet Black	re 🔲 1922D	19" to 22" Seat Depth Range	No Charge
□ 60P	Silver Metallic	re		_
□ 71P	Silver VeinNo Charg	ge ADJASBA	SEAT DEPTH SETTING <sup>8</sup>	
□ 105P	Midnight BlueNo Charg		Seat Depth 12"	110.00 16
□ 115P	Black PrismNo Charg	ge 🗖 D13	Seat Depth 13"	110.00 6
тоо нот		<b>□</b> D14	Seat Depth 14"	110.00 6
□ 30P	Sunny YellowNo Charg		Seat Depth 15"	
□ 61P	Electric Red		Seat Depth 16"	
□ 119P	Bubblegum Pink		Seat Depth 17"	
□ 120P	Grape Madness		Seat Depth 18"	
	<b></b>	□ D19	Seat Depth 19"	No Charge
WAY COOL	Electric Disc	D D20	Seat Depth 20"	
□ 62P	Electric Blue	ge 🗆 🗖 D21	Seat Depth 21"	
□ 104P □ 121P	Electric Teal		Seat Depth 22"	529.00
□ 121P □ 122P	Cosmic Blue		•	
□ 125P	Emerald Green No Charg		M TYPE (PAIR)	
☐ 127P	Grasshopper Green No Charg	1 DI 10E	Full Length Fixed Height Conv	No Charge
<b>-</b> 12/1	Grasshopper Green	□ 28F	Desk Length Fixed Height Conv	Standard
	SEAT			
	SEAT	ADJUSTAI	BLE ARM TYPE (PAIR)	
SEAT SELE	CTION	□ 19F	Full Length Adj Hgt Conv. (E0973)	
□ ADJASBA	Adj. Rehab Seat w/Adj. Seat Tilt & Back Angle Standar	□ 29F	Desk Length Adj Hgt Conv. (E0973)	230.00
☐ ADJASBA☐ ADJRECL	Manual Recline for Adjustable ASBA (E1226) 744.0	10		
☐ CTS	Contoura Seating	o 3 WIII	EIGHT ADJUSTABLE ARM TY	` '
□ OMCU	Omit Contoura Seat CushionLess 20.0	19FK	Full Length Adj Hgt Right (E0973)	
□ OMCO	Offit Contoura Seat CusinonLess 20.0	<b>■</b> 271 K	Desk Length Adj Hgt Right (E0973)	
ADHISTARI	LE SEAT WIDTH RANGE	□ 19FL	Full length Adj Hgt Left (E0973)	
		□ 29FL	Desk Length Adj Hgt Left (E0973)	115.00
□ 1216W □ 1620W	12" to 16" Seat Width Range		T DACK TVDE	
□ 2024W	20" to 24" Seat Width Range		T BACK TYPE	Gt. 3 3
■ 2024 W	20 to 24 Seat within Kange	- BECT	Sectional Rear Uprights	
		□ SRUP	Straight Rear Uprights	
		□ 9720P □ L8661	No Push Handles (Straight Canes)	
		■ L8001	Omit Rear Uprights	
		ASRA SEA	T BACK ANGLE DEGREE	
		ASDA SEA □ 90BA	90°	Standard
		□ 95BA	95°	No Charge
		<b>■</b> 93 <b>D</b> A	/3	110 Charge

### **FOOTNOTES**

- <sup>1</sup> Package includes 4-pole motors and 5.8 MPH top speed with <300 lb user weight limit.
- <sup>2</sup> Package includes 4-pole motors and 5 MPH top speed with <400 lb user weight limit.
- Selected seat depth on Contoura assumes 1" of back cushion compression. For example: When choosing an 18" depth the measurement from the front of the back cushion to the front of the seat pan equals 17". The Contoura back cushion is 2" thick. Please refer to page 5 for seat size offerings.
- Must select 12" 18" Depth Range (1218D) when ordering the 12" 16" Seat Width Range (1216W).

### **FOOTNOTES**

- <sup>5</sup> Contoura available in even Seat Width from 16" 24".
- <sup>6</sup> User weight limit is 150 lb.
- Available only with 400 lb package.
- <sup>8</sup> Contoura available in Seat Depth 16" 22".

### Invacare® TDX® SP Rehab Seat Power Wheelchair **Accessories and Options**

### **SEAT (CONTINUED)**

ASBA SEAT	BACK HEIGHT	
■ BH12	Back Height 12" No Charge	
■ BH13	Back Height 13" No Charge	
■ BH14	Back Height 14"	
■ BH15	Back Height 15"No Charge	
■ BH16	Back Height 16"No Charge	
■ BH17	Back Height 17" No Charge	
□ BH18	Back Height 18"No Charge	
■ BH19	Back Height 19"No Charge	
■ BH20	Back Height 20" No Charge	
■ BH21	Back Height 21"	
■ BH22	Back Height 22" No Charge	
■ BH23	Back Height 23" No Charge	
☐ BH24	Back Height 24"No Charge	
CONTOURA	BACK HEIGHT	
☐ TSBH25	Back Height 25"	
☐ TSBH295	Back Height 29.5"	
■ 13BH293	Dack Height 29.5	
BACK HEIG	HT RECLINER	
☐ BHR18	Back Height 18" No Charge	
☐ BHR20	Back Height 20" No Charge	
☐ BHR22	Back Height 22" No Charge	
☐ BHR24	Back Height 24"	
☐ BHR26	Back Height 26" No Charge	
SEAT POSIT	IONING STRAPS	
□ 1311BK	Airline Buckle Seat Pos. Strap50.00	9
☐ 1511BR	Push Button Style Seat Pos. Strap	
<b>1</b> 1313	1 ush Button Style Seat 1 os. Strap Standard	
CHEST POSI	TIONING STRAPS	
□ 7311BK	Airline Buckle Chest Pos. Strap (E0960) 100.00	
<b>9</b> 515	Push Button Style Chest Pos. Strap (E0960) 100.00	
□ 7321BK	Hook & Loop Chest Pos. Strap (E0960) 100.00	
	ELECTRONICS	
TM		
MK6i <sup>™</sup> CON		
☐ MK690	90 Amp Controller Standard	
STANDARD	DRIVER CONTROL	
□ SPJPLUS	SPJ+ Single Drive Joystick Standard	
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
EXPANDABI	LE CONTROLLER SYSTEMS	
☐ MPJM6U	MPJ+ Multiple Drive Joystick (E2377) 750.00	
☐ PSFM6	Personal Joystick, Inductive on Front (E2399) 1,130.00	10
□ PSRM6	Personal Joystick, Inductive on Rear (E2399) 1,130.00	10
□ PBOD	Push Button On/Off w/PB Drive Select No Charge	1.1
□ PBSS	Push Button On/Off w/Speed Select No Charge	11 1/
	•	4.4
□ OR	On/Off Mounted RightNo Charge	
OL		
□ ASLRDYM6	On/Off Mounted LeftNo Charge	
■ ABERD I MO	MK6 Display Only	. 12
■ ABERD I Mo	•	. 12

FOR YOUR ASL DRIVE SYSTEM NEEDS PLEASE REFER TO THE FOLLOWING: ASL SINGLE INVOICE PRICE LIST FORM # 02-097.

# ALTERNATIVE PROPORTIONAL

CONTROL S	YSTEMS
□ 1500M6	Prop RIM Head Control w/ MK6i Display (2327) 2,875.00
□ SMHD	Small HeadrestNo Charge
☐ LGHD	Large HeadrestNo Charge
□ 1558MM6	Compact Joystick w/Display (E2373)1,130.00
ALTERNATI	IVE DIGITAL CONTROL SYSTEMS
☐ SNPM6	Sip-N-Puff Digital Interface Box (E2325) 1,500.00 <sup>14</sup>
□ 5018M6	Wafer Board & Digital Interface Box (E2322). 1,550.00
□ 5020M6	Mini Tash Joystick & Digital
	Interface Box (E2321)
SIP-N-PUFF	KIT
□ PKG32666	Therafin® Sip-N-Puff Breath Tube Kit (E2326) 380.00
■ 1 KG32000	Therain Sip IV Fair Breath Fabe Kit (E2526) 500.00
ADDITIONA	L CONTROL CHOICES
□ 1558M6	Compact Joystick – Less Std Mount
<b>□</b> 5018	Wafer Board
<b>□</b> 5020	Mini Tash Joystick
☐ PACM6	Prop. Attendant Control w/Quick Release Mount 850.00
□ 1552M	Digital Attendant Control
JOYSTICK N	MOUNTING HARDWARE
□ QLAM6	Quad Link Retract. Joystick Mnt MPJ+ (E1028) 279.00
□ QLA	Quad Link Retract. Joystick Mnt SPJ+ (E1028) 279.00
☐ ARM250	Stealth Height Adj. Joystick Mnt (E1028) 210.00
☐ LEFT	Left Handed Mounted JoystickNo Charge
☐ RIMHW	RIM Hardware For 1500 (E1028)219.00
☐ PKG32669	Complete Bib Assembly (Tash/1558)265.00
☐ GATMPJM6	Gatlin Midline for MPJ (E1028) 600.00
☐ GAT1812	Gatlin Midline for 1812 (E1028)600.00
□ RCM	Rear Cane Mount for Compact Joystick395.00
ELECTRONI	IC ACCESSORIES
□ 1813M6	MK6i Programmer w/Pro Memory Card 475.00
□ 1813D	Pro Memory Card (USB Ready)90.00
■ 1560	"T" Handle Flexible Joystick Ext. (E2323) 77.00

ELECTRONI	C ACCESSURIES		
□ 1813M6	MK6i Programmer w/Pro Memory Card	475.00	
□ 1813D	Pro Memory Card (USB Ready)	90.00	
<b>□</b> 1560	"T" Handle Flexible Joystick Ext. (E2323)	77.00	
<b>□</b> 1561	Straight Handle Flexible Joystick Ext. (E2323)	77.00	
<b>□</b> 1826	Chin Cup (2324)	48.00	
☐ A24VPS	24V MK6 Auxiliary Power Source	200.00	
☐ AUX12M6	Auxiliary Module For 1 & 2	795.00	
☐ AUX34M6	Auxiliary Module For 3 & 4	795.00	
$\square$ MPY	Monoport "Y" Cable for MPJ+ or Display	15.00	
□ 2PB	Dual Push Button	147.00	17
□ 2SW	Dual Toggle	172.00	17
	66		

### **FOOTNOTES**

### **FOOTNOTES**

<sup>1311</sup>BK not available on 12" – 15" wide.

<sup>10</sup> TOD-SS: Toggle On/Off-Drive Select, Speed Potentiometer Standard.

<sup>&</sup>lt;sup>11</sup> PSRM6 Only.

<sup>&</sup>lt;sup>12</sup>Drive Select through mode switch, or mode switch and Joystick Command.

<sup>&</sup>lt;sup>13</sup> Display Only, No Driver Control. Allows choice from order form.

<sup>&</sup>lt;sup>14</sup> Must also use either a Multiple Drive Joystick or MK6i Display.

<sup>15</sup> Requires SNPM6 Sip-N-Puff Interface Box.

<sup>&</sup>lt;sup>16</sup>QLAM6 and QLA come standard with ARM250.

<sup>17</sup> Option to replace Mono Port "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems. Not compatible with SPJ+ Joystick options

### Invacare® TDX® SP Rehab Seat Power Wheelchair **Accessories and Options**

### POWER LEGS CONTROL MODULE 18

☐ 4WSB	Four Way Switch Box	No Charge
☐ S4WSB	Multiple Actuator Interface Box (E2311)	2,600.00
$\square$ FWT	4 Way Toggle	No Charge
■ QPB	4 Push Buttons	No Charge

For all systems with two or more actuators you must choose 4WSB at No Charge or the S4WSB with an Up Charge.

S4WSB Replaces the Four Way Switch Box and allows multiple actuator operation through the driver control.

FWT or QPB is required when choosing the 4WSB or S4WSB.

### ASL OPTIONAL ACCESSORIES

□ EGSBLK	Egg Switch – Black	65.00	
☐ ASL304	Light Wobble Switch w/611 Mount	. 320.00	
☐ ASL202J	Fiber Optic Switch	. 610.00	19
☐ ASL208J	Adjustable Proximity Switch	. 550.00	19
☐ ASL504M6	Remote Emergency Stop Switch		

### **MISCELLANEOUS**

### **BACK ACCESSORIES**

□ L8601	Omit Back Upholstery	No Charge
□ RBP	Reinforced Back Upholstery	No Charge

#### MISCELLANEOUS ACCESSORIES

<b>□</b> 1303	Wheel Locks	45.00
☐ SEAT02	Oxygen Holder (ADJASBA Seat Only) (E2208) .	150.00

### BATTERY TRAY TYPE 20

■ 22TRY	22NF Style Tray	Standard
☐ 24TRY	24 Group Style Tray	No Charge

### B

BATTERIES		
☐ 22NFBATTERY	22NF Battery (On Chair) (E2361)	300.00
☐ 24BATTERY	24 Gel Battery (On Chair) (E2363).	410.00

### SEATING AND POSITIONING

FOR YOUR SEATING NEEDS PLEASE REFER TO THE FOLLOWING: REHAB SEATING AND POSITIONING PRODUCTS SEE PRICE LIST FORM 07-027.

### FRONT RIGGINGS

### FRONT RIGGING 21

TROM RIG	ULIU
CENTER MOUN	
☐ CTMT-F	Center Mount Adj. Knee Angle220.00 <sup>22</sup>
☐ CTMT-FJ	Junior Center Mount Adj. Knee Angle220.00 <sup>23</sup>
CENTER PIVO	T STYLE (PAIR)
□ 70NHD	70° Swingaway Footrests Standard <sup>24</sup>
☐ 70STAPER	70° Tapered Footrests
☐ AT5544	Manual ELR (E0990)
PIN STYLE HE	MI (PAIR)
☐ PHW93	70° Swingaway FootrestsNo Charge
☐ PHAL4A	Manual Articulating/ELR (K0053)225.00
POWER LEGS ☐ ELRPW ☐ ELRPW22	Power ELR w/Articulation 20" Ext (E1010) 1,895.00 Power ELR w/Articulation 22" Ext (E1010) 1,995.00
FOOTBOAR	D
□ 90FB	90FB Flip up Removable Footboard 150.00
FOOTPLATI	E OPTIONS (PAIR)
<b>□</b> 1651	Composite FootplatesNo Charge 27
<b>□</b> 1350	Extra Large Aluminum FootplatesNo Charge 28
□ AT5543	Adjustable Angle Flip-Up Footplates165.00
☐ CTMTFB	Footboard for Center MountNo Charge 29
FOOTREST/	LEGREST ACCESSORIES
<b>□</b> 1337	Calf Strap (K0038)27.00
☐ 1600BK	Heel Loops w/Ankle Straps (pair) (E0951)56.00
■ IMPACTG	Impact Guards51.00
☐ LPT2	Longer Pivot Slide Tube for 135083.00
□ ALPT	Longer Pivot And Slide Tube84.00

Longer Pivot And Slide Tube 4" ...... 84.00

### **FOOTNOTES**

☐ ALPT4

#### **FOOTNOTES**

<sup>&</sup>lt;sup>21</sup> All front rigging options include a standard footplate with the exception of the

<sup>&</sup>lt;sup>22</sup> Allows 60 to 90 degree static knee angle positioning with a drop back lever for easier transferring. Extension range 12.5" - 15". Available on low seat-to-floor

<sup>&</sup>lt;sup>23</sup> Allows 60 to 90 degree static knee angle positioning with a drop back lever for easier transferring. Extension range 9.25" – 12". Available on low seat-to-floor

 $<sup>^{24}\</sup>mbox{With seat}$  widths of 21" to 24" and depth of 16", must pick footplate 1350. The AT5543 is not available.

<sup>&</sup>lt;sup>25</sup> Standard with impact guards. Not available with widths 19" to 24" and 16" deep

 $<sup>^{26}\</sup>mbox{Not}$  available with 16" wide by 16" to 18" deep or 17" wide by 16" deep and low seat-to-floor.

<sup>&</sup>lt;sup>27</sup> Not available with AT5544 and 17" wide by 16" deep and low seat-to-floor.

 $<sup>^{28}</sup>$ Not available with AT5544 and 16" wide by 16" - 18" deep or 17" wide by 16" deep and low seat-to-floor.

<sup>&</sup>lt;sup>29</sup> One piece footboard for Center Mount (CTMT-F) Riggings.

<sup>&</sup>lt;sup>18</sup>These options are located in the configurator under the MK6i Electronics Folder. The Category Header inside the folder is labeled Power Seating

 $<sup>^{19}\,\</sup>mathrm{Not}$  available with SPJ+ Joystick. Must add MK6 Auxiliary Power Source.

<sup>&</sup>lt;sup>20</sup>22TRY Base Width 24": 24TRY Base Width 25.5".

## Invacare® TDX® SP Rehab Seat Power Wheelchair Accessories and Options

	TDX SP Specification	ons	
Seat Width Range: (In	n 1" increments)		
	Adult (Adjust)	Junior (Adjust)	
	16" – 24"	12" – 16"	
Seat Depth Range:			
	12" – 22"	12" – 16"	

**Back Height Range:** 

12" - 24"

**Back Angle Range:** 

 $85^{\circ}$  -  $105^{\circ}$  in  $5^{\circ}$  increments

Seat-to-Floor (approximate):

 Standard:
 16.5" @ 0°

 Medium:
 18.5" @ 0°

 Tall:
 20.5" @ 0°

 At 5° add .5"

Overall Length: 24" (w/o Joystick)

Overall Height (with 20" back height & 0° seat angle)

 Standard:
 35.5"

 Medium
 37.5"

 Tall:
 39.5"

**Overall Length:** 35.25" w/o front 43" w/90° front rigging

rigging

Weight:
4 Pole Motor

Drive Axle:

Drive Wheels/Tires:

w/o 22NF Batteries: 166 lb With two (2) 22NF 264 lb

Batteries: Non-Adjustable (Foam Filled or

Pneumatic)

Standard: 14" x 3"

**Memory Card – BASIC** 

 Standard with ALL expandable control systems (MPJ+, PSR+, PSF+, MK6i Display).

- •Used to back up/restore programmed settings for only one chair.
- •May be given to user or kept with provider's files for safe keeping.
- Does not contain advanced diagnostics/help screens/file structure
- •Not compatible with SPJ+ Joysticks.

### Memory Card - PROFESSIONAL

- •Standard with ALL MK6i Programmers.
- Available also with USB Card Reader on Order Form.
- Contains Advanced Diagnostics, help screens, software updates, file storage/retrieval.
- •Used to back up multiple chairs and programming settings.
- •Intended for used by qualified providers only.
- •Not compatible with SPJ+ Joysticks.

## Batteries (not included)

22NF batteries with terminal configuration (positive on the left and negative on the right) MUST be used. 22NF batteries that have the reverse terminal configuration MUST not be used. Terminals MUST have a cross hole for proper battery connection.

GP24 batteries with terminal configuration (negative on the left and positive on the right) MUST be used. GP24 batteries that have the reverse terminal configuration MUST not be used. Terminals MUST have across hole for proper battery connection. See Owner's Manual, part number 1114809. These recommendations MUST be followed otherwise injury and damage may occur.

Contoura Seat Sizes							
	D16	D17	D18	D19	D20	D21	D22
W16	X	X	X	X	X	*	*
W18	X	X	X	X	X	*	*
W20	X	X	X	X	X	X	X
W22	*	*	X	X	X	X	X
W24	*	*	X	X	X	X	X
* Not available with Contoura Seat Cushion							
Back Heigh	ts 25" or 29	9.5"					

#### Weight Limit 300 Pounds (Standard)

Invacare recommends all wheelchairs be fitted and programmed to the consumer under the guidance of a healthcare professional, knowledgeable of the particular limitations of the products.

#### NOTE:

All weight limits are inclusive of add-on equipment and seating systems. All specifications and dimensions are approximate.



Yes, you can:

USA One Invacare Way Elyria, OH USA 44035-4190 800-333-6900 All rights reserved. Trademarks are identified by the symbols <sup>TM</sup> and ®. All trademarks are owned by or licensed to Invacare Corporation unless otherwise noted.

Products designated by ASL are Manufactured by Adaptive Switch Labs, Inc. Therafin is a registered trademark of W/R Medical Electronics Co.

Otto Bock is a trademark of Otto Bock Orthopaedische Industries GMBH & Co. Specifications and prices are subject to change without notification.

©2007 Invacare Corporation

www.invacare.com

Form No. 06-053 Rev. 012908